



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product name	SQ Quartzlock2
MSDS name	SQ Quartz-Lock 2
Product name(s) covered	See Section 16 for Product Names Covered.
CAS #	Mixture
Product use	Grout
Generic description	Polyurethane - Quartz Based Formulation
Manufacturer	Bostik, Inc. 11320 Watertown Plank Rd Wauwatosa, WI 53226 USA
24 hour emergency assistance	Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887
General assistance	Telephone: 1-800-843-0844
MSDS assistance	Telephone: 1-800-843-0844

2. Hazards Identification

Emergency overview	Contact with this material can cause irritation to the skin, eyes and mucous membranes.
Potential health effects	
Eyes	This product may cause irritation to the eyes.
Skin	This product may cause irritation to the skin.
Inhalation	This product may cause irritation to the respiratory system.
Ingestion	Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

3. Composition / Information on Ingredients

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

4. First Aid Measures

First aid procedures	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention or advice.
Skin contact	For skin contact flush with large amounts of water while removing contaminated clothing. If skin irritation persists, call a physician.
Inhalation	If inhaled, immediately remove the affected person to fresh air. Call a physician if symptoms develop or persist.
Ingestion	If the material is swallowed, get immediate medical attention or advice. Do not induce vomiting without medical advice. Never give anything by mouth to a victim who is unconscious or is having convulsions.
Notes to physician	Provide general supportive measures and treat symptomatically. Contact Bostik to determine whether any additional information is available.

5. Fire Fighting Measures

Hazardous combustion products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Extinguishing media	
Suitable extinguishing media	Dry chemical, foam, carbon dioxide, water fog.
Fire fighting equipment/instructions	Firefighters should wear full protective clothing including self contained breathing apparatus.
Flash point	> 200 °F (> 93.3 °C)

6. Accidental Release Measures

Emergency action	Wear appropriate personal protective equipment. Do not allow product to enter sewer or waterways. Follow all Local, State, Federal and Provincial regulations for disposal. Regulations vary. Consult local authorities before disposal.
Spill or leak procedure	Scrape up material and place in steel drums that are in good condition. Thoroughly clean area where spill occurred. Remove sources of ignition. Ventilate area of spill.
Containment procedures	Stop source of leak if possible. Contain the discharged material.
Reporting	See Federal reporting requirements listed in Section 15. We recommend you contact local authorities to determine if there may be other local reporting requirements.

7. Handling and Storage

Handling	Do not get this material in your eyes, on your skin, or on your clothing. Avoid breathing vapors or mists of this product. Wash hands after handling and before eating.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from heat. Keep away from direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition.
Empty container precaution	Attention! Follow label warnings even after container is emptied since empty containers may retain product residues. Do not reuse empty container without professional cleaning for food, clothing, or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls / Personal Protection

Engineering controls	Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product. Explosion proof exhaust ventilation should be used.
Personal protective equipment	
Eye protection	Wear safety glasses with side shields.
Skin and body protection	Use impervious gloves. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves.
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment.
General	Eyewash fountains and emergency showers should be readily available.

9. Physical & Chemical Properties

Target solids	87 %
pH	8.3
Density	1.78 g/cc
Odor	Slight
Color	Various
Physical state	Paste
Freeze protect	Yes

10. Chemical Stability & Reactivity Information

Hazardous reactions/decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Hazardous polymerization	Will not occur.
Conditions to avoid	Avoid Strong Acids. Keep away from sources of ignition.
Stability	This is a stable material.

11. Toxicological Information

Carcinogenicity	If this product contains any carcinogens, they will be noted below:
------------------------	---

12. Ecological Information

Ecotoxicological information	No data available for this product.
-------------------------------------	-------------------------------------

13. Disposal Considerations

It is the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable local, state and federal regulations.

Waste disposal

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes. Empty containers must be handled with care due to product residue. Do not heat or cut empty container with electric or gas torch.

14. Transport Information

DOT

Not regulated as hazardous goods.

IATA

Not regulated as hazardous goods.

IMDG

Not regulated as hazardous goods.

15. Regulatory Information

This MSDS is prepared and distributed pursuant to the Federal Hazard Communication Standard, 29 CFR 1910.1200

The product(s) covered by this (M)SDS do not include any of the substances above a concentration of 0.1% weight by weight (w/w) in the Candidate List of Substances of Very High Concern (SVHC) for authorization published or proposed by ECHA on the following dates:

- October 28, 2008
- August 31, 2009
- January 13, 2010
- March 8, 2010
- June 18, 2010
- October 14, 2010
- December 15, 2010
- June 20, 2011
- December 19, 2011
- February 17, 2012

Federal regulations

All components are on the U.S. EPA TSCA Inventory List.

State regulations

If this product contains any California Proposition 65 chemicals at reportable levels they will be listed below:

Acetaldehyde
Phenylethane
Titanium Dioxide

International regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and contains all the information required by the Controlled Products Regulations.

HMIS Ratings

Health: 1
Flammability: 1
Physical hazard: 0
Personal protection: X

SARA 311/312 HAZARD CATEGORIES

Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

WHMIS status

Non-controlled

16. Other Information

Product name(s) covered

B18120 - SQ QUARTZLOCK HIGH WHITE 18LB
B18145 - SQ QUARTZLOCK BONE 18LB
B18165 - SQ QUARTZLOCK ANTIQUE WHT 18LB
B18175 - SQ QUARTZLOCK SILK 18LB
B18210 - SQ QUARTZLOCK CREAM 18LB
B18224 - SQ QUARTZLOCK MUSHROOM 18LB
B18230 - SQ QUARTZLOCK ALMOND 18LB
B18235 - SQ QUARTZLOCK CHAMPAGNE 18LB
B18240 - SQ QUARTZLOCK LINEN 18LB
B18245 - SQ QUARTZLOCK WHEAT 18LB
B18250 - SQ QUARTZLOCK CAMEL 18LB
B18255 - SQ QUARTZLOCK SOLID BUFF 18LB
B18260 - SQ QUARTZLOCK HAYSTACK 18LB
B18265 - SQ QUARTZLOCK BIRCH 18LB
B18267 - SQ QUARTZLOCK SANDSTONE 18LB
B18270 - SQ QUARTZLOCK MLK CHOCOLT 18LB
B18272 - SQ QUARTZLOCK DARK MOCHA 18LB
B18283 - SQ QUARTZLOCK HEMP 18LB
B18285 - SQ QUARTZLOCK ESPRESSO 18LB
B18290 - SQ QUARTZLOCK CHESTNUT 18LB
B18320 - SQ QUARTZLOCK SILVER GRAY 18LB
B18340 - SQ QUARTZLOCK SOLID GRAY 18LB
B18370 - SQ QUARTZLOCK RAINCLD GRY 18LB
B18375 - SQ QUARTZLOCK NATURAL 18LB
B18380 - SQ QUARTZLOCK CHARCOAL GR 18LB
B18410 - SQ QUARTZLOCK BEACH SAND 18LB
B18420 - SQ QUARTZLOCK SPECKLD CEM 18LB
B18430 - SQ QUARTZLOCK CAMOUFLAGE 18LB
B18440 - SQ QUARTZLOCK RUST 18LB
B18460 - SQ QUARTZLOCK SPECKLD BRK 18LB
B18470 - SQ QUARTZLOCK PEPPER 18LB
B18475 - SQ QUARTZLOCK CHOCOLAT BL 18LB
B18480 - SQ QUARTZLOCK ASH 18LB
B18485 - SQ QUARTZLOCK NIGHT STAR 18LB
B18499 - SQ QUARTZLOCK JET BLACK 18LB
B18520 - SQ QUARTZLOCK SOLID RED 18LB
B18530 - SQ QUARTZLOCK CLAY 18LB
B18540 - SQ QUARTZLOCK WASABI 18LB
B18550 - SQ QUARTZLOCK OLIVE 18LB
B18560 - SQ QUARTZLOCK SEA BLUE 18LB
B18570 - SQ QUARTZLOCK QUARRY RED 18LB
B9120 - SQ QUARTZLOCK HIGH WHITE 9LB
B9145 - SQ QUARTZLOCK BONE 9LB
B9165 - SQ QUARTZLOCK ANTIQUE WHIT 9LB
B9175 - SQ QUARTZLOCK SILK 9LB
B9210 - SQ QUARTZLOCK CREAM 9LB
B9224 - SQ QUARTZLOCK MUSHROOM 9LB
B9230 - SQ QUARTZLOCK ALMOND 9LB
B9235 - SQ QUARTZLOCK CHAMPAGNE 9LB
B9240 - SQ QUARTZLOCK LINEN 9LB
B9245 - SQ QUARTZLOCK WHEAT 9LB
B9250 - SQ QUARTZLOCK CAMEL 9LB
B9255 - SQ QUARTZLOCK SOLID BUFF 9LB
B9260 - SQ QUARTZLOCK HAYSTACK 9LB
B9265 - SQ QUARTZLOCK BIRCH 9LB
B9267 - SQ QUARTZLOCK SANDSTONE 9LB
B9270 - SQ QUARTZLOCK MLK CHOCOLAT 9LB
B9272 - SQ QUARTZLOCK DARK MOCHA 9LB

B9283 - SQ QUARTZLOCK HEMP 9LB
B9285 - SQ QUARTZLOCK ESPRESSO 9LB
B9290 - SQ QUARTZLOCK CHESTNUT 9LB
B9320 - SQ QUARTZLOCK SILVER GRAY 9LB
B9340 - SQ QUARTZLOCK SOLID GRAY 9LB
B9370 - SQ QUARTZLOCK RAINCLD GRAY 9LB
B9375 - SQ QUARTZLOCK NATURAL 9LB
B9380 - SQ QUARTZLOCK CHARCOAL GRY 9LB
B9410 - SQ QUARTZLOCK BEACH SAND 9LB
B9420 - SQ QUARTZLOCK SPECKLD CEMT 9LB
B9430 - SQ QUARTZLOCK CAMOUFLAGE 9LB
B9440 - SQ QUARTZLOCK RUST 9LB
B9460 - SQ QUARTZLOCK SPECKLD BRCK 9LB
B9470 - SQ QUARTZLOCK PEPPER 9LB
B9475 - SQ QUARTZLOCK CHOCOLAT BLK 9LB
B9480 - SQ QUARTZLOCK ASH 9LB
B9485 - SQ QUARTZLOCK NIGHT STAR 9LB
B9499 - SQ QUARTZLOCK JET BLACK 9LB
B9520 - SQ QUARTZLOCK SOLID RED 9LB
B9530 - SQ QUARTZLOCK CLAY 9LB
B9540 - SQ QUARTZLOCK WASABI 9LB
B9550 - SQ QUARTZLOCK OLIVE 9LB
B9560 - SQ QUARTZLOCK SEA BLUE 9LB
B9570 - SQ QUARTZLOCK QUARRY RED 9LB

Disclaimer

The data in this MSDS has been compiled from publicly available sources. This data relates only to the designated product and not to the use of said product in combination with other materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Responsibility for proper precautions and safe use of the product lies with the user. All data in this MSDS is typical of the product as a whole, and does not represent any individual lot or batch, therefore, Bostik, Inc. makes no warranty about the accuracy of the data herein and assumes no liability for the use of such data. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

Further information

If there are any characters following an individual item number, they are just designations for the various types of packaging that are available for this product. For example, a product "G12345-XX" is item number "G12345" with a packaging designation of "XX". These characters do not indicate a different product nor a different regulatory, health, safety and/or environmental status. This document covers the item numbers listed above for all of their packaging types.

Issue date

05/22/2012

Prepared by

Bostik, Inc. Regulatory Affairs

Supersedes

05/07/2012

This data sheet contains changes from the previous version in section(s):

This document has undergone significant changes and should be reviewed in its entirety.